


PRODUCT INFORMATION

- Elegance look, profound technical, precise dimension, with modern taste, add value to your projects.
- Easy to fix concentrated distribution unit into frame.
- Vented front door.
- One double open vented rear door.
- Install caster and support feet at the same time.
- Strong structure with 1000Kg max loading.
- Cabinet for telecommunication systems
- Wire path on the top and bottom can be closed, and wire holes dimension can be changed as request.
- Optional bottom seat for stable stand, bottom cold ventilation and prevent rats.
- Side door and rear/front door can be taken down easily.
- 2 vertical cable management are included for cabinets from 800mm width.
- IP 20



PRODUCT CHARACTERISTIC

- Static loading 1760 lb (800 kg)
- Width 24" (600mm), 32" (800mm)
- Depth 24" (600mm), 32" (800mm), 38" (960mm), 39" (1000mm)
- Grove cover can be install and uninstall quickly and easily to maintain
- 19" can be updated to 23", 25", 27" (as demand)
- Sliding shelf
- Fixed shelf


Material: SPCC quality cold rolled steel

Thickness: Square hole strips 0.08" (2mm), others 0.05" (1.2mm)

Surface finish: Degrease, acid pickling, rust prevention and parkerizing pure water cleaning, static electricity plastic painting

STANDARD

Comply with ANSI/EIA RS-310-D, IEC297-2, DIN41491; PART 1; DIN41494; PART7, GB/T3047.2-92 Standard;
Compatible with 19" internacional standard and metrical standard & ETSI standard



ORDER INFORMATION

Order Number	Width x Depth x Height	Capacity	SIZE	CBM	Order Number	Width x Depth x Height	Capacity	SIZE	CBM
MM186060988	(600x600x988)mm (24x24x39)inch	18U	(670x670x1028)mm (26x26x41)inch	0.4615	MM426060206	(600x600x2055)mm (24x24x81)inch	42U	(670x670x2085)mm (26x26x82)inch	0.9360
MM186080988	(600x800x988)mm (24x32x39)inch	18U	(670x870x1028)mm (26x34x41)inch	0.5992	MM426080206	(600x800x2055)mm (24x32x81)inch	42U	(670x870x2085)mm (26x34x82)inch	1.2153
MM186090988	(600x900x988)mm (24x35x39)inch	18U	(670x970x1028)mm (26x38x41)inch	0.6681	MM426090206	(600x900x2055)mm (24x35x81)inch	42U	(670x970x2085)mm (26x38x82)inch	1.3550
MM186096988	(600x960x988)mm (24x38x39)inch	18U	(670x1030x1028)mm (26x41x41)inch	0.7094	MM426096206	(600x960x2055)mm (24x38x81)inch	42U	(670x1030x2085)mm (26x41x82)inch	1.4389
MM226060117	(600x600x1166)mm (24x24x46)inch	22U	(670x670x1196)mm (26x26x47)inch	0.5369	MM426010206	(600x1000x2055)mm (24x39x81)inch	42U	(670x1070x2085)mm (26x42x82)inch	1.4732
MM226080117	(600x800x1166)mm (24x32x46)inch	22U	(670x870x1196)mm (26x34x47)inch	0.6971	MM428060206	(800x600x2055)mm (32x24x81)inch	42U	(870x670x2085)mm (34x26x82)inch	1.2513
MM226090117	(600x900x1166)mm (24x35x46)inch	22U	(670x970x1196)mm (26x38x47)inch	0.7774	MM428080206	(800x800x2055)mm (32x32x81)inch	42U	(870x870x2085)mm (34x34x82)inch	1.5781
MM226096117	(600x960x1166)mm (24x38x46)inch	22U	(670x1030x1196)mm (26x41x47)inch	0.8254	MM428090206	(800x900x2055)mm (32x35x81)inch	42U	(870x970x2085)mm (34x38x82)inch	1.7595
MM276060139	(600x600x1388)mm (24x24x55)inch	27U	(670x670x1418)mm (26x26x56)inch	0.6460	MM428096206	(800x960x2055)mm (32x38x81)inch	42U	(870x1030x2085)mm (34x41x82)inch	1.8684
MM276080139	(600x800x1388)mm (24x32x55)inch	27U	(670x870x1418)mm (26x34x56)inch	0.8266	MM428010206	(800x1000x2055)mm (32x39x81)inch	42U	(870x1070x2085)mm (34x42x82)inch	1.9130
MM276090139	(600x900x1388)mm (24x35x55)inch	27U	(670x970x1418)mm (26x38x56)inch	0.9216	MM456091221	(600x916x2208)mm (24x36x87)inch	45U	(670x986x2238)mm (27x39x88)inch	1.5012
MM276096139	(600x960x1388)mm (24x38x55)inch	27U	(670x1030x1418)mm (26x41x56)inch	0.9786	MM456010221	(600x1067x2208)mm (24x42x87)inch	45U	(670x1137x2238)mm (27x45x88)inch	1.6273
MM326060161	(600x600x1610)mm (24x24x63)inch	32U	(670x670x1640)mm (26x26x65)inch	0.7362	MM476060228	(600x600x2277)mm (24x24x90)inch	47U	(670x670x2307)mm (26x26x91)inch	1.0356
MM326080161	(600x800x1610)mm (24x32x63)inch	32U	(670x870x1640)mm (26x34x65)inch	0.9560	MM476080228	(600x800x2277)mm (24x32x90)inch	47U	(670x870x2307)mm (26x34x91)inch	1.3448
MM326090161	(600x900x1610)mm (24x35x63)inch	32U	(670x970x1640)mm (26x38x65)inch	1.0658	MM476090228	(600x900x2277)mm (24x35x90)inch	47U	(670x970x2307)mm (26x38x91)inch	1.4993
MM326096161	(600x960x1610)mm (24x38x63)inch	32U	(670x1030x1640)mm (26x41x65)inch	1.1318	MM476096228	(600x960x2277)mm (24x38x90)inch	47U	(670x1030x2307)mm (26x41x91)inch	1.5921
MM326010161	(600x1000x1610)mm (24x39.4x63)inch	32U	(670x1070x1640)mm (26x42x65)inch	1.1757	MM476010228	(600x1000x2277)mm (24x39x90)inch	47U	(670x1070x2307)mm (26x42x91)inch	1.6539
MM376060183	(600x600x1833)mm (24x24x72)inch	37U	(670x670x1883)mm (26x26x66)inch	0.8363	MM478060228	(800x600x2277)mm (32x24x90)inch	47U	(870x670x2307)mm (34x26x91)inch	1.3448
MM376080183	(600x800x1833)mm (24x32x72)inch	37U	(670x870x1883)mm (26x34x66)inch	1.0859	MM478080228	(800x800x2277)mm (32x32x90)inch	47U	(870x870x2307)mm (34x34x91)inch	1.7462
MM376090183	(600x900x1833)mm (24x35x72)inch	37U	(670x970x1883)mm (26x38x66)inch	1.2108	MM478090228	(800x900x2277)mm (32x35x90)inch	47U	(870x970x2307)mm (34x38x91)inch	1.9469
MM376096183	(600x960x1833)mm (24x38x72)inch	37U	(670x1030x1883)mm (26x41x66)inch	1.2857	MM478096228	(800x960x2277)mm (32x38x90)inch	47U	(870x1030x2307)mm (34x41x91)inch	2.0673
MM376010183	(600x1000x1833)mm (24x39x72)inch	37U	(670x1070x1883)mm (26x42x66)inch	1.3141	MM478010228	(800x1000x2277)mm (32x39x90)inch	47U	(870x1070x2307)mm (34x42x91)inch	2.1476
MM378010183	(800x1000x1833)mm (32x39x72)inch	37U	(870x1070x1883)mm (26x34.3x66)inch	1.3141					