



PRODUCT INFORMATION

- Elegance look, profound technical, precise dimension, with modern taste, add value to your projects
- Easy to fix concentrated distribution unit into frame
- Install caster and support feet at the same time
- Strong structure with 1760 lb (800 kg) max loading
- Wire path in the top and bottom can be closed, and wire holes dimension can be changed as request
- Bottom seat for stable stand, bottom wiring, bottom cold ventilation and prevent rats
- Side door and rear/front door can be taken down easily
- Frontdoor made by steel glass
- Backdoor made by steel mesh
- Cabinet for telecommunication systems

PRODUCT CHARACTERISTIC

- Static loading 1760 lb (800 kg)
- Width 24" (600mm), 32" (800mm)
- Depth 24" (600mm), 32" (800mm), 38" (960mm), 39" (1000mm)
- Grove cover can be install and uninstall quickly and easily to maintain
- 19" can be updated to 23", 25", 27" (as demand)
- Sliding shelf
- Fixed shelf

Material: SPCC quality cold rolled steel

Thickness: Square hole strips 0.08" (2mm), others 0.05" (1.2mm)

Surface finish: Degrease, acid pickling, rust prevention and parkerizing
pure water cleaning, static electricity plastic painting


STANDARD

Comply with ANSI/EIA RS-310-D IEC297-2 DIN41491; PART1 DIN41491; PART7 GB/T307.2-90 Standard


ACCESSORIES

S/N	Specification	Quantity	Unit	Material	Surface finish	Remark
1	Top cover	1	Piece	SPCC Cold rolled steel t1.2	Powder coated	...
2	Fan unit	1	Set	SPCC Cold rolled steel t1.5	Powder coated	...
3	Mounting angle	0	Piece	SPCC Cold rolled steel t1.2	Powder coated	4pcs for below 32U
4	Side panel	2	Piece	SPCC Cold rolled steel t1.2	Powder coated	RemoVMble steel door
5	Aluminum frame	1	Piece	Aluminum alloy	Powder coated	...
6	Mounting profile	4	Piece	SPCC Cold rolled steel t2.0	---	...
7	Front door	1	Piece	5mm toughened glass/SPCC t1.2	Powder coated	Toughened glass
8	AdVMnced moon-shape lock	2	Piece	---	---	With 4 keys
9	Bottom panel	3	Piece	SPCC Cold rolled steel t1.2	Powder coated	...
10	M12 adjustable feet	4	Piece	---	---	...
11	2" heavy duty castor	4	Piece	---	---	...
12	Vented rear door	1	Piece	SPCC Cold rolled steel t1.0	Powder coated	Single vented door
13	M6 B-head screw	20	Piece	Steel	Color zinc coated	40pcs for over 32U
14	M6 square nut	20	Piece	Steel	Color zinc coated	40pcs for over32U
15	Allen wrench	1	Piece	Steel	Black	...
16	Allen wrench	1	Piece	Steel	Black	...

Dimension



Main dimension



ORDER INFORMATION

Order Number	Width x Depth x Height	Capacity	SIZE	CBM	Order Number	Width x Depth x Height	Capacity	SIZE	CBM
VM186060988	(600x600x988)mm (24x24x39)inch	18U	(670x670x1028)mm (26x26x41)inch	0.4615	VM426060206	(600x600x2055)mm (24x24x81)inch	42U	(670x670x2085)mm (26x26x82)inch	0.9360
VM186080988	(600x800x988)mm (24x32x39)inch	18U	(670x870x1028)mm (26x34x41)inch	0.5992	VM426080206	(600x800x2055)mm (24x32x81)inch	42U	(670x870x2085)mm (26x34x82)inch	1.2153
VM186090988	(600x900x988)mm (24x35x39)inch	18U	(670x970x1028)mm (26x38x41)inch	0.6681	VM426090206	(600x900x2055)mm (24x35x81)inch	42U	(670x970x2085)mm (26x38x82)inch	1.3550
VM186096988	(600x960x988)mm (24x38x39)inch	18U	(670x1030x1028)mm (26x41x41)inch	0.7094	VM426096206	(600x960x2055)mm (24x38x81)inch	42U	(670x1030x2085)mm (26x41x82)inch	1.4389
VM226060117	(600x600x1166)mm (24x24x46)inch	22U	(670x670x1196)mm (26x26x47)inch	0.5369	VM426010206	(600x1000x2055)mm (24x39x81)inch	42U	(670x1070x2085)mm (26x42x82)inch	1.4732
VM226080117	(600x800x1166)mm (24x32x46)inch	22U	(670x870x1196)mm (26x34x47)inch	0.6971	VM428060206	(800x600x2055)mm (32x24x81)inch	42U	(870x670x2085)mm (34x26x82)inch	1.2513
VM226090117	(600x900x1166)mm (24x35x46)inch	22U	(670x970x1196)mm (26x38x47)inch	0.7774	VM428080206	(800x800x2055)mm (32x32x81)inch	42U	(870x870x2085)mm (34x34x82)inch	1.5781
VM226096117	(600x960x1166)mm (24x38x46)inch	22U	(670x1030x1196)mm (26x41x47)inch	0.8254	VM428090206	(800x900x2055)mm (32x35x81)inch	42U	(870x970x2085)mm (34x38x82)inch	1.7595
VM276060139	(600x600x1388)mm (24x24x55)inch	27U	(670x670x1418)mm (26x26x56)inch	0.6460	VM428096206	(800x960x2055)mm (32x38x81)inch	42U	(870x1030x2085)mm (34x41x82)inch	1.8684
VM276080139	(600x800x1388)mm (24x32x55)inch	27U	(670x870x1418)mm (26x34x56)inch	0.8266	VM428010206	(800x1000x2055)mm (32x39x81)inch	42U	(870x1070x2085)mm (34x42x82)inch	1.9130
VM276090139	(600x900x1388)mm (24x35x55)inch	27U	(670x970x1418)mm (26x38x56)inch	0.9216	VM456091221	(600x916x2208)mm (24x36x87)inch	45U	(670x986x2238)mm (27x39x88)inch	1.5012
VM276096139	(600x960x1388)mm (24x38x55)inch	27U	(670x1030x1418)mm (26x41x56)inch	0.9786	VM456010221	(600x1067x2208)mm (24x42x87)inch	45U	(670x1137x2238)mm (27x45x88)inch	1.6273
VM326060161	(600x600x1610)mm (24x24x63)inch	32U	(670x670x1640)mm (26x26x65)inch	0.7362	VM476060228	(600x600x2277)mm (24x24x90)inch	47U	(670x670x2307)mm (26x26x91)inch	1.0356
VM326080161	(600x800x1610)mm (24x32x63)inch	32U	(670x870x1640)mm (26x34x65)inch	0.9560	VM476080228	(600x800x2277)mm (24x32x90)inch	47U	(670x870x2307)mm (26x34x91)inch	1.3448
VM326090161	(600x900x1610)mm (24x35x63)inch	32U	(670x970x1640)mm (26x38x65)inch	1.0658	VM476090228	(600x900x2277)mm (24x35x90)inch	47U	(670x970x2307)mm (26x38x91)inch	1.4993
VM326096161	(600x960x1610)mm (24x38x63)inch	32U	(670x1030x1640)mm (26x41x65)inch	1.1318	VM476096228	(600x960x2277)mm (24x38x90)inch	47U	(670x1030x2307)mm (26x41x91)inch	1.5921
VM326010161	(600x1000x1610)mm (24x39.4x63)inch	32U	(670x1070x1640)mm (26x42x65)inch	1.1757	VM476010228	(600x1000x2277)mm (24x39x90)inch	47U	(670x1070x2307)mm (26x42x91)inch	1.6539
VM376060183	(600x600x1833)mm (24x24x72)inch	37U	(670x670x1683)mm (26x26x66)inch	0.8363	VM478060228	(800x600x2277)mm (32x24x90)inch	47U	(870x670x2307)mm (34x26x91)inch	1.3448
VM376080183	(600x800x1833)mm (24x32x72)inch	37U	(670x870x1683)mm (26x34x66)inch	1.0859	VM478080228	(800x800x2277)mm (32x32x90)inch	47U	(870x870x2307)mm (34x34x91)inch	1.7462
VM376090183	(600x900x1833)mm (24x35x72)inch	37U	(670x970x1683)mm (26x38x66)inch	1.2108	VM478090228	(800x900x2277)mm (32x35x90)inch	47U	(870x970x2307)mm (34x38x91)inch	1.9469
VM376096183	(600x960x1833)mm (24x38x72)inch	37U	(670x1030x1683)mm (26x41x66)inch	1.2857	VM478096228	(800x960x2277)mm (32x38x90)inch	47U	(870x1030x2307)mm (34x41x91)inch	2.0673
VM376010183	(600x1000x1833)mm (24x39x72)inch	37U	(670x1070x1683)mm (26x42x66)inch	1.3141	VM478010228	(800x1000x2277)mm (32x39x90)inch	47U	(870x1070x2307)mm (34x42x91)inch	2.1476